# National Exams December 2016

### 04-Geom-B1, Digital Terrain Modelling

3 hours duration

## NOTES:

- 1. If doubt exists as to the interpretation of any question, the candidate is urged to submit with the answer paper, a clear statement of any assumptions made.
- 2. This is a CLOSED BOOK EXAM. An approved Casio or Sharp model calculator.
- 3. All 12 questions constitute a complete exam paper totaling 100 marks.

Page 1 of 3

#### 04-Geom-B1 Digital Terrain Modelling December 2016 Exam 3 hours

#### <u>Marks</u>

- 9 1. What is the primary use of a: (3 x 3 marks)
  - a) digital terrain model (DTM),
  - b) a digital elevation model (DEM) and,
  - c) a digital surface model (DSM)?
- 10 2. Define the following in the context of digital terrain modelling (5 x 2 marks)
  - a) character/breaklines,
  - b) spot heights,
  - c) sampling interval,
  - d) elevation data accuracy,
  - e) contour interval.
- 6 3. How do the following influence the choice of a DEM sampling interval: (3 x 2 marks)
  - a. terrain roughness,
  - b. required surface accuracy,
  - c. terrain slope?
- 15 4. Explain the merits of using the following methods/systems for DEM data generation: (5 x 3 marks)
  - a) map digitization,
  - b) ground surveys,
  - c) aerial photogrammetric methods,
  - d) airborne Lidar,
  - e) satellite image-based methods.
- 15 5. What are the advantages/disadvantages of using regular grid versus irregular data distributions for a DEM in terms of: (3 x 5 marks)
  - a) data volumes,
  - b) accuracy of surface representation,
  - c) contour generation?
- 5 6. Explain the steps that are used to create a triangular irregular network (TIN) when using the data in a DEM.
- 10 7. Explain how you could use a DEM for: (2 x 5 marks)
  - a) generating a watershed boundary?
  - b) determining a floodplain boundary?
- 5 8. What is the difference between filtering and smoothing in DEM data processing?

04-Geom-B1/December 2016 Page 2 of 3

- 5 9. How and why is the method of Kriging used for the interpolation of DEM data?
- 5 10. Explain how you could mathematically locate and eliminate any blunders in a DEM?
- 10 11. How are digital elevation models used for: (2 x 5 marks)
  - a) orthophoto generation,
  - b) volume computation?
- 5 12. How is DSM data used to rectify digital satellite imagery?

100 marks Total